


Rallongements



Double cylindre RZ mécatronique des deux côtés

A	Mesure				Extension	
	B	C	D	E	Côté B (WW)	Côté C (XX)
85	42.5	42.5	35	17.5	00	00
90	42.5	47.5	40	17.5	00	05
90	47.5	42.5	40	22.5	05	00
95	42.5	52.5	45	17.5	00	10
95	47.5	47.5	45	22.5	05	05
95	52.5	42.5	45	27.5	10	00
100	42.5	57.5	50	17.5	00	15
100	47.5	52.5	50	22.5	05	10
100	52.5	47.5	50	27.5	10	05
100	57.5	42.5	50	32.5	15	00
105	42.5	62.5	55	17.5	00	20
105	47.5	57.5	55	22.5	05	15
105	52.5	52.5	55	27.5	10	10
105	57.5	47.5	55	32.5	15	05
105	62.5	42.5	55	37.5	20	00
110	42.5	67.5	60	17.5	00	25
110	47.5	62.5	60	22.5	05	20
110	52.5	57.5	60	27.5	10	15
110	57.5	52.5	60	32.5	15	10
110	62.5	47.5	60	37.5	20	05
110	67.5	42.5	60	42.5	25	00
115	42.5	72.5	65	17.5	00	30
115	52.5	62.5	65	27.5	10	20
115	62.5	52.5	65	37.5	20	10
115	72.5	42.5	65	47.5	30	00
125	42.5	82.5	75	17.5	00	40
125	52.5	72.5	75	27.5	10	30
125	62.5	62.5	75	37.5	20	20
125	72.5	52.5	75	47.5	30	10
125	82.5	42.5	75	57.5	40	00
135	42.5	92.5	85	17.5	00	50
135	52.5	82.5	85	27.5	10	40
135	62.5	72.5	85	37.5	20	30
135	72.5	62.5	85	47.5	30	20
135	82.5	52.5	85	57.5	40	10
135	92.5	42.5	85	67.5	50	00
145	42.5	102.5	95	17.5	00	60
145	52.5	92.5	95	27.5	10	50
145	62.5	82.5	95	37.5	20	40
145	72.5	72.5	95	47.5	30	30
145	82.5	62.5	95	57.5	40	20
145	92.5	52.5	95	67.5	50	10
145	102.5	42.5	95	77.5	60	00



Demi-cylindre RZ

A	Mesure			E	Extension Côté B (WW)
	B	D			
53.5	42.5	26		17.5	00
58.5	47.5	31		22.5	05
63.5	52.5	36		27.5	10
68.5	57.5	41		32.5	15
73.5	62.5	46		37.5	20
78.5	67.5	51		42.5	25
83.5	72.5	56		47.5	30
93.5	82.5	66		57.5	40
103.5	92.5	76		67.5	50
113.5	102.5	86		77.5	60



Double cylindre RZ, palier court

A	Mesure				E	Extension	
	B	C	F	Côté B (WW)		Côté C (XX)	
80	42.5	37.5	26.5	17.5	00	05	
85	42.5	42.5	38.5	17.5	00	10	
85	42.5	47.5	38.5	17.5	05	05	
90	47.5	42.5	43.5	22.5	00	15	
90	42.5	52.5	43.5	17.5	05	10	
90	47.5	47.5	43.5	22.5	10	05	
95	52.5	42.5	48.5	27.5	00	20	
95	42.5	57.5	48.5	17.5	05	15	
95	47.5	52.5	48.5	22.5	10	10	
95	52.5	47.5	48.5	27.5	15	05	
100	57.5	42.5	53.5	32.5	00	25	
100	42.5	62.5	53.5	17.5	05	20	
100	47.5	57.5	53.5	22.5	10	15	
100	52.5	52.5	53.5	27.5	15	10	
100	57.5	47.5	53.5	32.5	20	05	
105	62.5	42.5	58.5	37.5	00	30	
105	42.5	67.5	58.5	17.5	10	20	
105	52.5	57.5	58.5	27.5	20	10	
115	62.5	47.5	68.5	37.5	00	40	
115	42.5	77.5	68.5	17.5	10	30	
115	52.5	67.5	68.5	27.5	20	20	
115	62.5	57.5	68.5	37.5	30	10	
125	72.5	47.5	78.5	47.5	00	50	
125	42.5	87.5	78.5	17.5	10	40	
125	52.5	77.5	78.5	27.5	20	30	
125	62.5	67.5	78.5	37.5	30	20	
125	72.5	57.5	78.5	47.5	40	10	
135	82.5	47.5	88.5	57.5	00	60	
135	42.5	97.5	88.5	17.5	10	50	
135	52.5	87.5	88.5	27.5	20	40	
135	62.5	77.5	88.5	37.5	30	30	
135	72.5	67.5	88.5	47.5	40	20	
135	82.5	57.5	88.5	57.5	50	10	

Double cylindre & cylindre à bouton RZ

	Mesure					Extension	
	A	B	C	D	E	Côté B (WW)	Côté C (XX)
	75	42.5	32.5	28.5	17.5	00	00
	80	42.5	37.5	33.5	17.5	00	05
	80	47.5	32.5	33.5	22.5	05	00
	85	42.5	42.5	38.5	17.5	00	10
	85	47.5	37.5	38.5	22.5	05	05
	85	52.5	32.5	38.5	27.5	10	00
	90	42.5	47.5	43.5	17.5	00	15
	90	47.5	42.5	43.5	22.5	05	10
	90	52.5	37.5	43.5	27.5	10	05
	90	57.5	32.5	43.5	32.5	15	00
	95	42.5	52.5	48.5	17.5	00	20
	95	47.5	47.5	48.5	22.5	05	15
	95	52.5	42.5	48.5	27.5	10	10
	95	57.5	37.5	48.5	32.5	15	05
	95	62.5	32.5	48.5	37.5	20	00
	100	42.5	57.5	53.5	17.5	00	25
	100	47.5	52.5	53.5	22.5	05	20
	100	52.5	47.5	53.5	27.5	10	15
	100	57.5	42.5	53.5	32.5	15	10
	100	62.5	37.5	53.5	37.5	20	05
	100	67.5	32.5	53.5	42.5	25	00
	105	42.5	62.5	58.5	17.5	00	30
	105	52.5	52.5	58.5	27.5	10	20
	105	62.5	42.5	58.5	37.5	20	10
	105	72.5	32.5	58.5	47.5	30	00
	115	42.5	72.5	68.5	17.5	00	40
	115	52.5	62.5	68.5	27.5	10	30
	115	62.5	52.5	68.5	37.5	20	20
	115	72.5	42.5	68.5	47.5	30	10
	115	82.5	32.5	68.5	57.5	40	00
	125	42.5	82.5	78.5	17.5	00	50
	125	52.5	72.5	78.5	27.5	10	40
	125	62.5	62.5	78.5	37.5	20	30
	125	72.5	52.5	78.5	47.5	30	20
	125	82.5	42.5	78.5	57.5	40	10
	125	92.5	32.5	78.5	67.5	50	00
	135	42.5	92.5	88.5	17.5	00	60
	135	52.5	82.5	88.5	27.5	10	50
	135	62.5	72.5	88.5	37.5	20	40
	135	72.5	62.5	88.5	47.5	30	30
	135	82.5	52.5	88.5	57.5	40	20
	135	92.5	42.5	88.5	67.5	50	10
	135	102.5	32.5	88.5	77.5	60	00

